

Product data sheet

BP® Lightw. multi-standard high visibility
APC2 weatherpr. jacket

2223-891-6614



EN ISO 20471



EN 1149-5



EN 13034-6



IEC 61482-2



EN 343



EN 14058



EN ISO 11611



EN ISO 11612

Standards




- EN ISO 20471 high visibility clothing class 2
- EN 1149-5 protective clothing – electrostatic properties
- EN 13034-6 protective clothing against liquid chemicals type 6
- IEC 61482-1-2 protection against thermal hazards of electric arc cl. 2
- EN 343 protective clothing against rain Waterproof Kl. 3, breathable cl. 3
- EN 14058 protective clothing against cool environments Cl. 2 3 x WP in conjunction with fleece jacket 2424-860
- EN ISO 11611 protective clothing for use in welding Cl. 1 - A1
- EN ISO 11612 protective clothing against heat and flame A1, B1, C1, F1

Special features



- electric arc class 2
- elasticated reflective strips
- extrem light fabric
- slim fit

Product data sheet

Description	Stand-up collar, detachable hood with double width adjustment, waterproof front zip with double press-stud band, heat-sealed seams, 2 side pockets with press-stud fastening, 1 Napoleon pocket with zip, ergonomically shaped sleeves, adjustable cuffs, 1 inside pocket with zip, large repair zip in lining, 2 reflective strips on each sleeve, 1 continuous reflective strip above hem, 2 continuous vertical reflective strips on front and back, mix & match with warm BP® fleece jacket 2424-860-0014
Color	warning yellow/night blue
Fabric weight	265 g/m²
Fabric	<p>Outer fabric 1</p> <p>55% Modacrylic, 44% Cotton, 1% Other fibres</p> <p><</p> <p>Outer fabric 2</p> <p>55% Modacrylic, 44% Cotton, 1% Other fibres</p> <p>Lining</p> <p>50% Viscose, 50% Aramid</p> <p>Membrane</p> <p>100% Polyurethane</p>
Washing instructions	
Laundry suitability	<p>Suitable for industrial laundering - ISO 15797</p> 
Size chart	XSn-3XLn
BP® catalogue pages	49 (BProtected)
BP® Partnership	

www.bp-online.com

BIERBAUM-PROENEN. SINCE 1788.